



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO



MINI series door-entry phone for Simplebus system with electronic call, key button and additional button for extra services (switchboard call, actuator, generic uses). Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light. Allows floor door call management. Complete with 8-position dip-switch for selection of the desired user code. Dimensions: 105x191x28 mm

AWARDS

DESIGN
MILANO



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO

GENERAL DATA

Height (mm)	190
Width (mm)	103
Depth (mm)	30

SETTINGS

Ringtone volume control	Yes
-------------------------	-----

MAIN FEATURES

Audio system	Yes
Wall-mounted	Yes
Desk base-mounted	Si
Colour	White
Total buttons (n°)	2

FUNCTIONS

Actuator control function	Yes
Switchboard call function	Yes
Privacy function	Yes
Floor door call function	Yes
Electronic bell	Yes
Key button function	Yes

COMPATIBILITY

Simplebus 1 audio system	Yes
--------------------------	-----

TECHNICAL CHARACTERISTICS

Supply voltage	20÷28VDC
Absorption during call (mA)	23
Absorption during communication (mA)	22
Microphone	9.6 (∅) x 6.9mm, omnidirectional



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO

TECHNICAL CHARACTERISTICS

Loudspeaker	0.50mm, 0.5W
Operating temperature (°C)	-5 ÷ 40
Weight (g)	260
Clamps	L L CFP CFP



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO

ACCESSORIES



2742W DESK BASE FOR MINI DOOR-ENTRY PHONE WITH HANDSET

Desk base for desktop conversion of MINI series door-entry phones.
Complete with 1.5 m cable and connection coupling.